


SK4000

U03SK	SPECIAL ROOF KIT SK4000 12V -COLD ONLY VERSION-
U04SK	SPECIAL ROOF KIT SK4000 24V -COLD ONLY VERSION-


CONDIZIONATORE UNIVERSALE A TETTO UNIVERSAL ROOF TOP A/C UNIT




CODICE PART NUMBER	VERSIONE VERSION
U52FF	12 V.
U53FF	24 V.

DATI TECNICI - TECHNICAL DATA	
Potenza frigorifera - Cooling capacity	4 Kw
Portata aria - Air flow	600 m ³ /h
Corrente assorbita - Current draw (12v)	20 Ah
Corrente assorbita - Current draw (24v)	10 Ah
Peso - Weight	30 Kg


① **Connettore sei vie**
Six way connector



② **Raccordo di ingresso tubo 1/2"**
Inlet fitting 1/2" hose



③ **Raccordo uscita tubo 13/32"**
Output fitting 13/32" hose





U52FF – JESOLO VERSION 12V

U53FF – JESOLO VERSION 24V

FC.08.1808 Hose Rubber 13/32" G8 = Q. 8 MT

FC.10.1810 Hose Rubber 1/2" G10 = Q. 8 MT

FC.08.9438 Fitting Q.1

FC.08.9548 Fitting Q.1


FC.109440 Fitting Q.1

FC.10.9550 Fitting Q.1



KIT UNIVERSALE COMPRESSORE SANDEN SD7H15 + STAFFAGGIO

COMPRESSOR SANDEN SD7H15 + BRACKETS UNIVERSAL KIT



015007.12V	COMPRESSOR SANDEN SD7H15 2G-12V ROTALOK HERR.
015007.24V	COMPRESSOR SANDEN SD7H15 2G-24V ROTALOK HERR.
002118	UNIVERSAL SOLDER BRACKET


Attenzione – Caution

Gas R134a non incluso

Gas R134a not included


Esempio montaggio:

Assembly example:



(IT)- Montaggio compressore sul motore.

(GB)- Compressor assembly on the engine.



(IT)- Montaggio gruppo condizionatore Jesolo sul tetto cabina.

(GB)- Assembly of Jesolo air conditioning unit on the cabin roof.

(IT)- Montaggio mascherina diffusori aria e comandi interno cabina.

(GB)- Fitting the air diffuser mask and inside cab controls.

